

( behringer.com)



# PRO MIXER NOX1010/NOX606/NOX404/ NOX303/NOX202

6, 5, 3 2- DJ - " " ,  
VCA Infinium,  
(NOX606) USB - ,



RU

RU



¼" TS  
"speakon".



- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

8.

9.

10.

11.

12.



13.

14.

15.

16.



BEHRINGER  
MUSIC GROUP (MUSIC-GROUP.COM),

MUSIC GROUP

MUSIC GROUP

MUSIC GROUP

MUSIC GROUP IP LTD.

© 2013 MUSIC Group IP Ltd.  
Trident Chambers, Wickhams Cay,  
P.O. Box 146, Road Town, Tortola,  
British Virgin Islands




Music Group

[www.music-group.com/warranty](http://www.music-group.com/warranty).

RU


# PRO MIXER NOX1010/NOX606/NOX404/NOX303/NOX 202

1:





# PRO MIXER NOX1010/NOX606/NOX404/NOX303/NOX 202


NOX606





NOX1010




XM8500




# PRO MIXER NOX1010/NOX606/NOX404/NOX303/NOX 202





# PRO MIXER NOX1010/NOX606/NOX404/NOX303/NOX 202





NOX404



NOX303






# PRO MIXER NOX1010/NOX606/NOX404/NOX303/NOX 202



# PRO MIXER NOX1010/NOX606/NOX404/NOX303/NOX 202

2:





# PRO MIXER NOX1010/NOX606/NOX404/NOX303/NOX 202


3:

**1** USB. **6** MASTER **10** GAIN **13** 1 2). A B (



**2** / MASTER, BOOTH CUE GAIN




**7** GAIN 1/3. CUE




**10** GAIN **11**




**3** POWER.




**8** CUE MIX



**4** **9** CF ASSIGN (NOX1010) XFADE (A OFF B) (NOX303, 606),



**12** PFL NOX202 404 cue 1 2, UE MIX





¼

	NOX1010	NOX606	NOX404	NOX303	NOX202
	40	40	40	40	40
	XLR,	XLR,	TRS,	XLR,	TRS,
Phono:			40 , RCA,		
			0 , RCA,		
(return)	—	0 , 1/4" TS,	6 , 1/4" TRS,	—	—
Aux/CD	0 , RCA,	—	0 , RCA,	—	—
(A)	.21 dBu, XLR,	.21 dBu, XLR,	.21 dBu, XLR,	.21 dBu, XLR,	.21 dBu, TRS,
B	.21 dBu, RCA,	.21 dBu, 1/4" TRS,	.21 dBu, RCA,	—	—
Booth/Amp	.21 dBu, RCA,	.21 dBu, 1/4" TRS,	—	.21 dBu, RCA,	.21 dBu, RCA,
	.21 dBu, RCA,	.21 dBu, RCA,	—	.21 dBu, RCA,	.21 dBu, RCA,
/aux	—	.21 dBu, 1/4" TRS,	0 dBu ( ), 1/4" TRS,	—	—
			.400 1 75		
	Infinium				
	+6 / -31 50	+6 / -28 50	+6 / -31 50	+6 / -31 50	+6 / -31 50
(1)	+6 / -20 1,2	+6 / -30 320	+6 / -20 1,2	+6 / -20 1,2	+6 / -20 1,2
(2)	—	+6 / -30 1,8	—	—	—
	+6 / -20 10	+6 / -28 10	+6 / -20 10	+6 / -20 10	+6 / -20 10
	±12 50	±15 50	±12 50	±12 50	±12 50
(1)	—	±15 250	—	—	—
(2)	—	±15 2,5	—	—	—
	±12 12	±15 12	±12 12	±12 12	±12 12
(kill)	—	—	—	-31 50	-31 50
(kill)	—	—	—	-20 1,2	-20 1,2
	—	—	—	-20 10	-20 10
USB	/				
	B				
	16				
	44,1/48				
	24				
/ - /	24 -				
/	>88	>88	>84	>84	>88
	>80	>70	>70	>84	>84
(THD)	<0,04% 1	<0,05% 1	<0,05% 1	<0,04% 1	<0,04% 1
	10 -80 (+0 / -3 )	10 -60 (+0 / -3 )	10 -70 (+0 / -3 )	10 -80 (+0 / -3 )	10 -80 (+0 / -3 )
	46	±12	44	46	46
	100-240 -, 50/60				
	.20	.27	.14	.18	.12
	T 1A H 250 V				
	IEC				
/	( )				
( )	108 x 483 x 191	108 x 480 x 381	108 x 255 x 320	108 x 292 x 355	100 x 255 x 274
	3,1	5,4	2,6	3,2	2,2

RU

1.   
 ,   
 .   
 MUSIC Group,   
 behringer.com.

2.   
 .   
 MUSIC Group,   
 .   
 behringer.com. "Support"   
 .   
 "Support"   
 behringer.com.

3.   
 .   
 .



